

FeedStuff(2017) 副产品饲料成分表

序号	中文名称	干物质 (%)	总可消化 养分 (%)	泌乳净能 (Mcal/bl)	维持净能 (Mcal/bl)	增重净能 (Mcal/bl)	泌乳净能 (Mcal/kg)	维持净能 (Mcal/kg)	增重净能 (Mcal/kg)	粗蛋白 (%)	粗脂肪 (%)	粗纤维 (%)	酸性洗涤 纤维 A(%)	粗灰分 (%)	钙 (%)	磷 (%)	钾 (%)	镁 (%)
1	橡树子	70.0	47.0	0.47	0.43	0.10	1.04	0.95	0.22	4.8	5.4	13.9	17	1.7	—	—	—	
2	白橡树子	50.0	46.8	0.47	0.43	0.09	1.04	0.95	0.20	3.7	5.3	2.2	3	1.9	—	—	—	
3	桤树叶, 晒干	85.0	47.8	0.48	0.49	0.11	1.06	1.08	0.24	22.0	6.0	17.0	21	5.9	—	—	—	
4	苜蓿籽筛屑	90.0	86.0	0.90	0.94	0.63	1.98	2.07	1.39	34.4	10.9	12.3	15	5.6	—	—	—	
5	墨西哥仙人掌	20.0	55.4	0.56	0.54	0.22	1.23	1.19	0.48	14.2	4.6	23.6	30	8.6	1.76	0.46	—	
6	杏仁壳, 13%CF	90.0	55.0	0.56	0.53	0.24	1.23	1.17	0.53	2.1	3.0	15.0	28	6.6	0.23	0.11	—	
7	杏仁壳, 15%CF	90.0	52.0	0.52	0.49	0.19	1.15	1.08	0.42	2.0	3.0	17.0	32	6.6	0.23	0.11	—	
8	杏仁壳, 20%CF	90.0	45.0	0.44	0.40	0.08	0.97	0.88	0.18	1.7	2.2	22.0	41	9.9	0.22	0.11	—	
9	苹果渣, 脱水	89.0	69.0	0.71	0.73	0.45	1.56	1.61	0.99	4.9	5.1	17.0	26	2.2	0.13	0.12	0.48	
10	青贮碎苹果肉	21.4	74.0	0.77	0.78	0.47	1.70	1.72	1.04	7.8	6.3	20.6	26	4.9	0.10	0.10	—	
11	苹果	17.0	70.0	0.72	0.72	0.44	1.59	1.59	0.97	2.8	2.2	7.3	9	2.2	0.06	0.60	0.78	
12	杏, 脱水	90.0	77.1	0.80	0.83	0.51	1.76	1.83	1.12	—	—	0.0	0	—	—	—	—	
13	青贮洋蓟	30.0	48.0	0.48	0.43	0.11	1.06	0.95	0.24	7.2	1.7	27.3	34	18.5	—	—	—	
14	洋蓟块茎	20.0	77.0	0.80	0.81	0.51	1.76	1.78	1.12	9.8	0.5	3.9	5	4.9	—	0.29	2.00	
15	洋蓟, 地上部分	27.0	60.0	0.61	0.59	0.28	1.34	1.30	0.62	5.1	1.1	18.0	23	7.7	1.62	0.11	1.36	
16	芦笋根, 脱水	91.0	49.0	0.49	0.45	0.13	1.08	0.99	0.29	15.6	1.0	31.9	40	7.7	—	—	—	
17	白杨树叶, 晒干	85.0	48.9	0.49	0.46	0.12	1.08	1.01	0.26	17.2	5.4	24.5	31	9.1	—	—	—	
18	鳄梨油粕	91.0	50.0	0.50	0.46	0.13	1.10	1.01	0.29	20.3	1.2	19.3	24	12.4	—	—	—	
19	鳄梨籽	41.0	90.0	0.95	0.99	0.68	2.09	2.18	1.50	4.9	3.8	5.9	7	—	0.04	0.20	1.26	

序号	中文名称	干物质	总可消化 养分	泌乳净能	维持净能	增重净能	泌乳净能	维持净能	增重净能	粗蛋白	粗脂肪	粗纤维	酸性洗涤 纤维	粗灰分	钙	磷	钾	镁
				(%)	(%)	(Mcal/bl)	(Mcal/bl)	(Mcal/kg)	(Mcal/kg)	(%)	(%)	(%)	A(%)	(%)	(%)	(%)	(%)	
20	鳄梨皮	24.0	90.0	0.95	1.00	0.69	2.09	2.20	1.52	6.9	34.9	24.5	31	—	0.11	0.18	1.82	—
21	巴西棕榈饼, 机榨	91.0	75.7	0.79	0.81	0.49	1.74	1.78	1.08	21.8	6.5	16.1	20	5.1	0.20	1.00	—	0.97
22	巴西棕榈粕, 浸提	82.7	66.4	0.68	0.68	0.37	1.50	1.50	0.81	21.3	2.5	19.0	24	6.8	0.13	0.71	—	0.97
23	成熟巴哈雀稗干草, 晒干	90.8	55.9	0.57	0.55	0.22	1.26	1.21	0.48	4.7	1.6	33.6	42	5.9	0.45	0.19	1.45	0.25
24	面包房下脚料, 脱 水	92.0	89.0	0.94	1.00	0.69	2.07	2.20	1.52	10.7	12.7	1.3	13	4.4	0.14	0.26	0.53	0.26
25	香蕉皮, 脱水, 磨 碎	88.0	59.3	0.60	0.59	0.27	1.32	1.30	0.59	7.7	8.1	8.6	11	10.5	—	—	—	—
26	香蕉	24.3	84.1	0.88	0.92	0.61	1.94	2.03	1.34	4.5	0.8	2.1	3	3.3	0.03	0.11	—	—
27	香蕉, 脱水	86.0	74.0	0.77	0.77	0.49	1.70	1.70	1.08	4.1	0.6	1.2	2	3.0	0.03	0.11	1.52	—
28	大麦麸	91.0	59.0	0.60	0.57	0.29	1.32	1.26	0.64	12.5	4.3	21.3	27	7.0	—	—	—	—
29	干大麦酒糟	92.0	69.0	0.71	0.70	0.43	1.56	1.54	0.95	30.1	12.6	11.0	14	2.0	—	—	—	—
30	大麦芽根	94.0	71.0	0.74	0.76	0.48	1.63	1.67	1.06	28.0	1.4	16.0	18	7.0	0.23	0.75	0.23	0.20
31	大麦麸	89.0	68.0	0.70	0.69	0.42	1.54	1.52	0.93	16.3	5.0	10.4	13	4.8	—	—	—	—
32	大麦粗粉	90.0	70.0	0.72	0.71	0.44	1.59	1.56	0.97	11.7	2.8	15.7	20	4.6	—	—	—	—
33	大麦筛屑	89.0	66.0	0.68	0.67	0.39	1.50	1.48	0.86	11.6	2.7	9.1	11	3.5	0.46	0.32	1.38	0.14
34	大麦秸秆	91.0	49.0	0.49	0.42	0.24	1.08	0.93	0.53	4.3	1.9	42.0	59	7.1	0.30	0.07	2.39	0.23
35	珍珠大麦副产品	89.6	75.5	0.78	0.80	0.49	1.72	1.76	1.08	14.7	3.9	11.9	15	5.7	0.05	0.46	—	—
36	大麦, 发芽5天	13.2	70.0	0.72	0.73	0.42	1.59	1.61	0.93	18.1	5.2	19.7	25	4.1	—	—	—	—
37	茸无黎豆壳	86.8	58.3	0.59	0.58	0.26	1.30	1.28	0.57	13.4	2.2	28.2	35	7.0	—	—	—	—
38	带籽长豆角豆莢	87.7	79.0	0.82	0.85	0.54	1.81	1.87	1.19	6.3	3.0	9.9	12	2.8	—	—	—	—

序号	中文名称	干物质 (%)	总可消化 养分 (%)	泌乳净能 (Mcal/bl)		维持净能 (Mcal/bl)		增重净能 (Mcal/kg)		泌乳净能 (Mcal/kg)		维持净能 (Mcal/kg)		增重净能 (Mcal/kg)		粗蛋白 (%)	粗脂肪 (%)	粗纤维 (%)	酸性洗涤 纤维 A(%)	粗灰分 (%)	钙 (%)	磷 (%)	钾 (%)	镁 (%)
				泌乳净能 (Mcal/bl)	维持净能 (Mcal/bl)	增重净能 (Mcal/kg)	泌乳净能 (Mcal/kg)	维持净能 (Mcal/kg)	增重净能 (Mcal/kg)															
39	带籽牧豆莢,脱水	91.5	63.1*	0.65*	0.64*	0.32*	1.43*	1.41*	0.70*	11.5	1.7	20.1	25	4.6	—	—	—	—	—	—	—	—	—	
40	荳毛黎豆莢,带籽	88.7	59.1	0.60	0.59	0.27	1.32	1.30	0.59	19.4	4.8	14.5	18	5.3	0.27	0.42	1.35	0.24	—	—	—	—	—	
41	蚕豆莢,脱水,磨碎	92.5	63.4	0.65	0.65	0.33	1.43	1.43	0.73	16.6	1.1	17.8	22	7.3	—	—	—	—	—	—	—	—	—	
42	蚕豆莢,晒干	91.8	52.0	0.52.	0.50	0.17	1.15	1.10	0.37	7.7	1.1	37.9	47	4.2	0.85	0.11	—	—	—	—	—	—	—	
43	长豆角豆莢	83.9	73.6	0.76	0.78	0.47	1.67	1.72	1.04	5.7	1.7	9.5	12	4.2	—	—	—	—	—	—	—	—	—	
44	利马豆莢	28.2	55.7*	0.56*	0.54*	0.22*	1.23*	1.19*	0.48*	7.2	1.9	38.6	48	—	—	—	—	—	—	—	—	—	—	
45	黎豆莢	88.6	60.4	0.62	0.61	0.29	1.37	1.34	0.64	5.2	0.9	31.6	40	7.9	—	—	—	—	—	—	—	—	—	
46	菜豆秸	90.0	51.0	0.51	0.49	0.12	1.12	1.08	0.26	6.8	1.5	44.5	56	8.2	1.85	0.14	1.14	0.13	—	—	—	—	—	
47	菜豆秸粉	92.1	44.1*	0.44*	0.39*	0.05*	0.97*	0.86*	0.11*	7.7	1.5	39.6	50	11.8	—	—	—	—	—	—	—	—	—	
48	利马豆秸粉	88.8	51.3*	0.52*	0.49*	0.16*	1.14*	1.08*	0.35*	11.3	2.4	31.4	39	9.3	—	—	—	—	—	—	—	—	—	
49	蚕豆秸	89.1	48.7	0.49	0.45	0.12	1.08	0.99	0.26	6.8	1.6	45.0	56	8.3	1.87	0.15	—	—	—	—	—	—	—	
50	绿豆秸	89.0	51.0	0.51	0.47	0.15	1.12	1.04	0.33	20.5	1.7	24.0	30	14.5	1.44	0.27	—	—	—	—	—	—	—	
51	四季豆秸	86.0	55.0	0.56	0.53	0.22	1.23	1.17	0.48	9.9	1.6	34.7	43	10.4	—	—	—	—	—	—	—	—	—	
52	利马豆秸	90.0	58.0	0.59	0.57	0.25	1.30	1.26	0.55	7.6	1.8	31.0	39	8.2	0.10	0.41	1.88	0.20	—	—	—	—	—	
53	长角豆	85.4	62.4*	0.64*	0.63*	0.31*	1.41*	1.39*	0.68*	10.8	2.4	22.4	28	4.1	—	—	—	—	—	—	—	—	—	
54	黑眼豆	91.5	74.0*	0.77*	0.78*	0.47*	1.70*	1.72*	1.04*	23.4	1.4	3.0	4	5.2	—	—	—	—	—	—	—	—	—	
55	蚕豆	86.0	84.1	0.88	0.92	0.61	1.94	2.03	1.34	29.2	1.9	7.7	10	2.4	—	—	—	—	—	—	—	—	—	
56	利马豆	85.8	73.2*	0.76*	0.77*	0.46*	1.67*	1.70*	1.01*	21.1	2.1	5.7	7	4.6	—	—	—	—	—	—	—	—	—	
57	菜豆罐头厂下脚料	9.4	72.5*	0.75*	0.76*	0.45*	1.65*	1.67*	0.99*	23.5	3.0	13.5	17	—	—	—	—	—	—	—	—	—	—	
58	长豆角	81.2	79.0	0.82	0.85	0.54	1.81	1.87	1.19	6.2	0.4	7.5	9	2.5	—	—	—	—	—	—	—	—	—	
59	长豆角, 磨碎	87.5	77.5	0.81	0.83	0.52	1.78	1.83	1.15	13.0	2.1	9.3	12	3.3	0.39	0.09	—	—	—	—	—	—	—	

序号	中文名称	干物质 (%)	总可消化 养分 (%)	泌乳净能 (Mcal/bl)		维持净能 (Mcal/bl)		增重净能 (Mcal/kg)		泌乳净能 (Mcal/kg)		维持净能 (Mcal/kg)		增重净能 (Mcal/kg)		粗蛋白 (%)	粗脂肪 (%)	粗纤维 (%)	酸性洗涤 纤维 A(%)	粗灰分 (%)	钙 (%)	磷 (%)	钾 (%)	镁 (%)
				泌乳净能 (Mcal/bl)	维持净能 (Mcal/bl)	增重净能 (Mcal/kg)	泌乳净能 (Mcal/kg)	维持净能 (Mcal/kg)	增重净能 (Mcal/kg)															
60	普通菜豆, 粉碎	89.0	68.6*	0.71*	0.71*	0.40*	1.56*	1.56*	0.88*	27.6	1.4	3.3	4	9.0	—	—	—	—	—	—	—	—	—	
61	菜豆	90.0	87.0	0.91	0.97	0.64	2.00	2.14	1.41	25.4	1.5	4.7	6	4.6	0.17	0.63	1.41	0.18	—	—	—	—	—	
62	青刀豆	89.0	63.0	0.65	0.63	0.35	1.43	1.39	0.77	16.9	3.8	25.3	32	9.0	—	—	—	—	—	—	—	—	—	
63	蚕豆	87.3	78.8	0.82	0.85	0.54	1.81	1.87	1.19	29.2	1.5	8.8	11	4.0	0.15	0.62	—	—	—	—	—	—	—	
64	蚕豆,磨碎	88.4	73.4*	0.76*	0.78*	0.46*	1.67*	1.72*	1.01*	29.2	1.6	4.4	6	4.0	—	—	—	—	—	—	—	—	—	
65	带皮蚕豆	88.3	77.0*	0.80*	0.82*	0.51*	1.76*	1.81*	1.12*	33.1	2.2	0.9	1	3.0	—	—	—	—	—	—	—	—	—	
66	四季豆	89.0	83.0	0.87	0.90	0.60	1.92	1.98	1.32	24.7	1.5	4.7	6	4.2	0.12	0.45	1.10	—	—	—	—	—	—	
67	利马豆	90.0	83.0	0.87	0.90	0.60	1.92	1.98	1.32	23.1	1.5	5.1	6	—	0.09	0.42	1.80	—	—	—	—	—	—	
68	刺槐豆	90.8	73.6	0.76	0.78	0.47	1.67	1.72	1.04	7.3	0.6	9.8	12	3.1	—	—	—	—	—	—	—	—	—	
69	绿豆	90.0	84.0	0.88	0.91	0.61	1.94	2.00	1.34	26.6	1.4	4.3	5	4.2	0.14	0.68	1.15	—	—	—	—	—	—	
70	菜豆/海军豆	89.0	84.0	0.88	0.94	0.64	1.94	2.07	1.41	25.3	1.5	5.0	6	5.2	0.18	0.59	1.47	0.15	—	—	—	—	—	
71	斑豆	90.0	83.0	0.87	0.90	0.60	1.92	1.98	1.32	25.2	1.4	4.5	6	4.8	0.16	0.39	—	—	—	—	—	—	—	
72	宽叶菜豆	90.5	74.4	0.77	0.79	0.48	1.70	1.74	1.06	24.5	1.5	3.8	5	4.6	—	—	—	—	—	—	—	—	—	
73	黎豆	89.3	87.1	0.91	0.96	0.64	2.00	2.11	1.41	23.8	5.4	10.8	14	3.7	0.27	0.36	—	—	—	—	—	—	—	
75	青贮糖用甜菜根、 茎叶	22.0	51.0	0.51	0.46	0.21	1.12	1.01	0.46	13.4	2.8	13.7	16	32.5	2.32	0.20	5.79	1.07	—	—	—	—	—	—
76	糖用甜菜根	18.0	58.3	0.59	0.58	0.26	1.30	1.28	0.57	16.8	1.8	10.4	22	19.9	—	—	—	—	—	—	—	—	—	
77	甜菜渣, 脱水	91.0	78.0	0.81	0.86	0.57	1.78	1.89	1.26	9.7	0.6	19.8	33	4.4	0.69	0.10	0.20	0.27	—	—	—	—	—	—
78	甜菜渣, 糖蜜, 脱 水	92.0	78.0	0.81	0.86	0.57	1.78	1.89	1.26	10.1	0.6	16.5	25	6.1	0.61	0.10	1.78	0.16	—	—	—	—	—	—
79	青贮甜菜渣	11.1	75.0	0.78	0.80	0.52	1.72	1.76	1.15	13.5	1.9	31.9	40	4.0	—	—	—	—	—	—	—	—	—	
80	青贮糖用甜菜尾渣	18.9	50.4*	0.51*	0.47*	0.15*	1.12*	1.04*	0.33*	9.5	5.3	23.8	30	16.4	—	—	—	—	—	—	—	—	—	
81	饲用甜菜茎叶	12.6	60.7	0.62	0.61	0.29	1.37	1.34	0.64	17.0	4.2	11.4	14	19.2	—	—	—	—	—	—	—	—	—	
82	红甜菜茎叶	9.0	53.0	0.53	0.50	0.19	1.17	1.10	0.42	24.2	3.3	14.3	18	—	1.31	0.44	6.26	—	—	—	—	—	—	

序号	中文名称	干物质 (%)	总可消化 养分 (%)	泌乳净能 (Mcal/bl)		维持净能 (Mcal/bl)		增重净能 (Mcal/kg)		泌乳净能 (Mcal/kg)		维持净能 (Mcal/kg)		增重净能 (Mcal/kg)		粗蛋白 (%)	粗脂肪 (%)	粗纤维 (%)	酸性洗涤 纤维 A(%)	粗灰分 (%)	钙 (%)	磷 (%)	钾 (%)	镁 (%)
				泌乳净能 (Mcal/bl)	维持净能 (Mcal/bl)	增重净能 (Mcal/kg)	泌乳净能 (Mcal/kg)	维持净能 (Mcal/kg)	增重净能 (Mcal/kg)	粗蛋白 (%)	粗脂肪 (%)	粗纤维 (%)	A(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
83	糖用甜菜茎叶	17.0	58.0	0.59	0.56	0.27	1.30	1.23	0.59	15.1	1.1	11.2	14	22.9	1.01	0.22	5.79	1.12						
84	普通甜菜	13.0	80.3	0.84	0.87	0.56	1.85	1.92	1.23	12.3	0.8	6.9	9	11.5	0.23	0.31	2.15	0.15						
85	饲用甜菜	13.8	79.2	0.83	0.85	0.54	1.83	1.87	1.19	11.3	0.6	7.5	9	9.7	0.22	0.22	1.98	0.19						
86	红甜菜	12.7	76.8	0.80	0.82	0.51	1.76	1.81	1.12	12.6	0.8	6.3	8	8.7	0.13	0.26	—	—						
87	干面包	92.0	89.0	0.94	0.99	0.65	2.07	2.18	1.43	13.3	3.1	1.0	1	2.0	0.09	0.16	0.16	—						
88	面包下脚料	68.3	89.3	0.95	1.00	0.69	2.09	2.20	1.52	15.0	2.2	—	3	2.8	0.14	0.20	0.23	0.05						
89	加州干啤酒糟	92.0	60.0	0.61	0.58	0.32	1.34	1.28	0.70	22.2	6.3	20.0	29	4.1	0.29	0.54	0.11	0.15						
90	干啤酒糟,25%CP	92.0	66.0	0.68	0.69	0.41	1.50	1.52	0.90	25.4	6.5	14.9	24	4.8	0.33	0.55	0.09	0.16						
91	湿啤酒糟	21.0	66.0	0.68	0.69	0.41	1.50	1.52	0.90	25.4	6.5	14.9	23	4.8	0.33	0.55	0.09	0.16						
92	青花菜(嫩茎花椰菜)	11.0	70.0	0.72	0.73	0.41	1.59	1.61	0.90	33.0	2.8	13.8	17	10.1	0.92	0.73	3.49	—						
93	抱子甘蓝(龙眼包心菜)	15.0	73.0	0.76	0.77	0.46	1.67	1.70	1.01	33.1	2.7	10.8	14	8.1	0.27	0.54	2.64	—						
94	荞麦	86.6	70.7	0.73	0.74	0.53	1.61	1.63	1.17	12.5	2.8	13.5	17	2.3	—	—	—	—						
95	荞麦麸	88.7	83.7	0.88	0.91	0.60	1.94	2.00	1.32	33.5	8.2	8.3	10	5.5	—	1.15	—	—						
96	甘蓝(洋白菜、卷心菜)	9.5	85.3	0.89	0.93	0.63	1.96	2.05	1.39	25.3	4.2	15.8	20	14.7	0.64	0.35	2.53	0.21						
97	甘蓝叶	14.8	66.7	0.69	0.69	0.37	1.52	1.52	0.81	14.4	2.6	14.3	18	15.6	0.63	0.21	—	—						
98	甘蓝粉,脱水	88.3	67.8*	0.70*	0.70*	0.39*	1.54*	1.54*	0.86*	16.9	4.5	9.5	12	7.9	—	—	—	—						
99	带刺仙人掌	20.6	58.8	0.60	0.59	0.26	1.32	1.30	0.57	4.8	2.3	13.4	17	18.9	9.16	0.12	1.21	1.65						
100	无刺仙人掌	5.3	49.2*	0.49*	0.46*	0.13*	1.08*	1.01*	0.29*	13.5	1.7	11.0	14	23.0	—	—	—	—						
101	蒿干草	91.0	0.53	0.53	0.53	0.18	1.17	1.17	0.40	9.0	2.7	32.0	34	8.0	0.38	0.25	2.70	—						
102	堪诺拉籽(菜籽品种)	89.9	127.4	1.60	1.49	1.08	3.52	3.28	2.38	20.5	40.5	—	12	4.6	0.44	0.68	0.91	0.21						
103	哈蜜瓜	10.0	66.0	0.68	0.68	0.37	1.50	1.50	0.81	20.4	8.3	20.6	26	—	—	—	—	—						

序号	中文名称	干物质 (%)	总可消化 养分 (%)	泌乳净能 (Mcal/bl)		维持净能 (Mcal/bl)		增重净能 (Mcal/kg)		泌乳净能 (Mcal/kg)		维持净能 (Mcal/kg)		增重净能 (Mcal/kg)		粗蛋白 (%)	粗脂肪 (%)	粗纤维 (%)	酸性洗涤 纤维 A(%)	粗灰分 (%)	钙 (%)	磷 (%)	钾 (%)	镁 (%)
				泌乳净能 (Mcal/bl)	维持净能 (Mcal/bl)	增重净能 (Mcal/kg)	泌乳净能 (Mcal/kg)	维持净能 (Mcal/kg)	增重净能 (Mcal/kg)															
125	椰子粕,浸提压榨	91.0	75.0	0.78	0.81	0.53	1.72	1.78	1.17	23.4	2.7	16.0	24	7.4	0.19	0.66	1.63	0.36	—	—	—	—	—	
126	椰子果肉,脱水	96.0	109.0	1.16	1.32	0.75	2.56	2.91	1.65	7.5	67.3	4.0	5	0.03	0.20	0.61	—	—	—	—	—	—	—	
127	咖啡粉	88.0	20.0	0.16	0.36	0.00	0.35	0.79	0.00	13.0	15.0	41.0	68	2.0	0.10	0.08	—	—	—	—	—	—	—	
128	咖啡壳	90.0	51.1	0.51	0.48	0.16	1.12	1.06	0.35	17.3	8.2	36.2	45	5.4	—	—	—	—	—	—	—	—	—	
129	带刺聚合草	13.2	58.3	0.59	0.58	0.26	1.30	1.28	0.57	19.7	2.4	13.8	17	18.2	—	0.55	—	—	—	—	—	—	—	
130	小甜饼副产品	90.1	95.0	1.02	1.06	0.74	2.25	2.33	1.63	9.7	10.6	—	7	3.0	0.23	0.29	0.46	0.13	—	—	—	—	—	
131	玉米糠麸	91.0	76.0	0.78	0.81	0.52	1.72	1.78	1.15	11.0	6.3	10.0	17	3.0	0.04	0.15	0.10	—	—	—	—	—	—	
132	玉米芯粉	90.0	50.0	0.50	0.44	0.19	1.10	0.97	0.42	3.2	0.7	36.2	35	1.7	0.12	0.04	0.87	0.07	—	—	—	—	—	
133	干玉米酒糟可溶物	93.0	88.0	0.91	0.98	0.66	2.00	2.16	1.45	28.0	9.2	4.5	7	7.4	0.35	1.37	1.80	0.65	—	—	—	—	—	
134	DDGS	91.0	90.0	1.05	1.13	0.75	2.31	2.49	1.65	29.0	10.8	8.0	17	5.0	0.12	0.80	1.04	0.33	—	—	—	—	—	
135	干玉米酒糟馏余物	7.0	92.0	0.96	1.03	0.70	2.11	2.27	1.54	22.0	8.1	8.0	10	5.0	0.14	0.72	0.20	—	—	—	—	—	—	
136	玉米穗粉	87.0	83.0	0.87	0.92	0.62	1.92	2.03	1.37	9.0	3.7	9.4	11	1.9	0.07	0.27	0.53	0.14	—	—	—	—	—	
137	玉米蛋白饲料	90.0	80.0	0.87	0.92	0.62	1.92	2.03	1.37	22.0	3.2	9.0	12	7.5	0.10	0.82	1.30	0.42	—	—	—	—	—	
138	玉米蛋白粉,60% 蛋白质	90.0	89.0	0.94	1.00	0.69	2.07	2.20	1.52	67.2	2.4	2.2	5	1.8	0.08	0.54	0.21	0.09	—	—	—	—	—	
139	玉米秸	85.0	50.0	0.50	0.44	0.19	1.10	0.97	0.42	5.9	1.3	34.4	39	7.2	0.57	0.10	1.45	0.40	—	—	—	—	—	
140	高粱	88.4	77.3*	0.80*	0.83*	0.52*	1.76*	1.83*	1.15*	10.6	4.8	5.8	7	4.1	—	—	—	—	—	—	—	—	—	
141	玉米罐头下脚料	23.0	70.0	0.72	0.73	0.42	1.59	1.61	0.93	8.8	2.7	22.0	29	5.9	3.40	0.63	—	—	—	—	—	—	—	
142	青贮玉米罐头下脚料	29.0	72.0	0.75	0.76	0.44	1.65	1.67	0.97	8.8	2.7	27.0	34	5.9	0.34	0.63	—	—	—	—	—	—	—	
143	埃及高粱	85.7	82.6*	0.86*	0.90*	0.59*	1.89*	1.98*	1.30*	11.7	3.8	3	2.4	—	—	—	—	—	—	—	—	—	—	
144	褐壳埃及高粱	89.0	82.6*	0.86*	0.90*	0.59*	1.89*	1.98*	1.30*	12.6	4.3	2.6	3	2.0	—	—	—	—	—	—	—	—	—	
145	南非高粱	90.7	90.9	0.96	1.01	0.69	2.11	2.22	1.52	10.9	3.3	1.5	2	1.6	0.03	0.34	0.37	0.17	—	—	—	—	—	

序号	中文名称	干物质 (%)	总可消化 养分 (%)	泌乳净能 (Mcal/bl)		维持净能 (Mcal/bl)		增重净能 (Mcal/kg)		泌乳净能 (Mcal/kg)		维持净能 (Mcal/kg)		增重净能 (Mcal/kg)		粗蛋白 (%)	粗脂肪 (%)	粗纤维 (%)	酸性洗涤 纤维 A(%)	粗灰分 (%)	钙 (%)	磷 (%)	钾 (%)	镁 (%)
				泌乳净能 (Mcal/bl)	维持净能 (Mcal/bl)	增重净能 (Mcal/kg)	泌乳净能 (Mcal/kg)	维持净能 (Mcal/kg)	增重净能 (Mcal/kg)	粗蛋白 (%)	粗脂肪 (%)	粗纤维 (%)	酸性洗涤 纤维 (%)	粗灰分 (%)	钙 (%)	磷 (%)	钾 (%)	镁 (%)						
167	羽毛粉	90.0	63.0	0.65	0.63	0.35	1.43	1.39	0.77	87.4	2.9	0.6	1	3.8	0.20	0.75	—	—						
168	葫芦巴籽	90.7	71.7*	0.74*	0.75*	0.44*	1.63*	1.65*	0.97*	29.2	6.2	10.4	13	4.0	—	—	—	—						
169	非洲芦粟	88.6	84.8*	0.89*	0.93*	0.61*	1.96*	2.05*	3.55*	10.7	2.4	1.5	2	1.7	—	—	—	—						
170	无花果,脱水	76.0	76.2	0.79	0.81	0.50	1.74	1.78	1.10	—	—	0.0	0	—	—	—	—	—						
171	牻牛儿苗属, 成熟, 脱水	89.0	48.1	0.48	0.45	0.11	1.06	0.99	0.24	3.9	1.7	35.3	44	9.6	—	—	—	—						
172	鱼粉	92.0	73.0	0.76	0.79	0.50	1.67	1.74	1.10	66.7	10.5	1.0	1	20.8	5.65	3.16	0.76	0.16						
173	鱼汁膏,脱水	93.7	78.6	0.82	0.84	0.53	1.81	1.85	1.17	69.9	9.9	0.5	1	15.8	1.36	1.80	—	—						
174	亚麻籽壳	91.0	38.0	0.37	0.31	0.00	0.81	0.68	0.00	8.5	1.5	31.5	39	10.4	—	—	—	—						
175	亚麻籽筛屑	91.0	64.0	0.66	0.65	0.39	1.45	1.43	0.86	18.2	10.2	13.2	18	6.8	0.37	0.47	0.84	0.43						
176	亚麻籽	94.0	115.0	1.22	1.43	0.74	2.69	3.15	1.63	25.6	38.3	6.7	8	5.2	0.23	0.55	0.84	—						
177	甘油	88.0	90.0	0.94	1.00	0.68	2.07	2.20	1.50	0.0	0.0	0.0	0	5.0	—	—	—	—						
178	谷物粉末	92.0	73.0	0.75	0.77	0.48	1.65	1.70	1.06	10.0	2.2	11.0	—	10.0	0.30	0.18	—	—						
179	葡萄粉,脱水	90.0	30.2	0.28	0.21	0.00	0.62	0.46	0.00	—	—	0.0	0	—	—	—	—	—						
180	葡萄果渣,脱水	91.0	33.0	0.31	0.15	0.00	0.68	0.33	0.00	13.0	7.9	31.9	54	10.3	0.61	0.06	0.62	0.10						
181	葡萄渣,无茎, 脱水	90.6	61.5	0.63	0.62	0.30	1.39	1.37	0.66	14.0	7.9	33.3	42	6.0	—	—	—	—						
182	葡萄籽	85.0	52.9*	0.53*	0.51*	0.18*	1.17*	1.12*	0.40*	11.5	6.5	47.2	59	3.2	—	—	—	—						
183	葡萄/梨/苹果渣,脱水	92.2	40.1	0.39	0.34	0.00	0.86	0.75	0.00	7.3	4.0	25.3	32	3.5	0.24	0.20	0.41	0.04						
184	葡萄(浆果)	14.0	85.0	0.89	0.93	0.62	1.96	2.05	1.37	8.1	4.4	10.3	13	3.7	0.51	0.15	—	—						
185	葡萄(浆果)渣, 脱水	91.0	80.0	0.83	0.85	0.57	1.83	1.87	1.26	6.7	1.5	13.9	17	6.0	1.48	0.18	—	—						
187	饲用非洲高粱	90.0	61.0	0.62	0.53	0.23	1.37	1.17	0.51	6.8	1.9	20.2	25	8.5	0.30	0.18	—	—						
188	非洲高粱秸秆	90.0	48.0	0.48	0.45	0.11	1.06	0.99	0.24	6.2	2.0	31.1	39	11.0	0.37	0.09	—	—						
189	大麻籽	91.1	90.1*	0.95*	1.00*	0.68*	2.09*	2.20*	1.50*	20.0	35.8	16.5	21	4.6	—	—	—	—						

序号	中文名称	干物质 (%)	总可消化 养分 (%)	泌乳净能 (Mcal/bl)		维持净能 (Mcal/bl)		增重净能 (Mcal/kg)		泌乳净能 (Mcal/kg)		维持净能 (Mcal/kg)		增重净能 (Mcal/kg)		粗蛋白 (%)	粗脂肪 (%)	粗纤维 (%)	酸性洗涤 纤维 A(%)	粗灰分 (%)	钙 (%)	磷 (%)	钾 (%)	镁 (%)	
				泌乳净能 (Mcal/bl)	维持净能 (Mcal/bl)	增重净能 (Mcal/kg)	泌乳净能 (Mcal/kg)	维持净能 (Mcal/kg)	增重净能 (Mcal/kg)																
190	蛇麻草叶	37.0	49.0	0.48	0.49	0.11	1.06	1.08	0.24	15.0	3.6	15.0	—	35.0	2.80	0.64	—	—	—	—	—	—	—		
191	青贮蛇麻草藤	30.0	53.0	0.53	0.53	0.18	1.17	1.17	0.40	15.0	3.1	21.0	24	20.0	3.30	0.37	1.80	—	—	—	—	—	—		
192	蛇麻草下脚料	89.0	37.0	0.35	0.40	0.00	0.77	0.88	0.00	23.0	4.5	26.0	30	7.0	1.60	0.60	—	—	—	—	—	—	—	—	
193	干海藻	91	32	0.29	0.38	0	0.640177	0.838852	0	7	0.5	7	10	39	2.72	0.31	—	—	—	—	—	—	—	—	
193	锦葵	20.5	58.7*	0.60*	0.58*	0.26*	1.32*	1.28*	0.57*	31.5	4.9	14.6	18	16.3	—	—	—	—	—	—	—	—	—	—	
194	笼养蛋鸡粪,脱水	90.0	52.0	0.52	0.49	0.17	1.15	1.08	0.37	28.0	2.0	12.7	16	—	8.80	2.50	2.33	—	—	—	—	—	—	—	—
195	牛粪,脱水	93.0	45.0	0.45	0.40	0.05	0.99	0.88	0.11	12.7	2.5	37.5	47	—	0.87	1.60	0.50	—	—	—	—	—	—	—	—
196	香橼瓜籽	91.5	64.5*	0.66*	0.66*	0.34*	1.45*	1.45*	0.75*	9.1	19.1	45.9	57	2.4	—	—	—	—	—	—	—	—	—	—	—
197	瓜类	4.1	70.7	0.73	0.74	0.43	1.61	1.63	0.95	11.5	3.3	23.0	29	6.6	—	—	—	—	—	—	—	—	—	—	—
198	瓜类饼	6.1	74.6	0.77	0.79	0.48	1.70	1.74	1.06	11.5	3.3	23.0	29	6.6	—	—	—	—	—	—	—	—	—	—	—
199	黄油奶	9.7	86.0	0.90	0.94	0.62	1.98	2.07	1.37	41.2	5.2	0.0	0	7.2	1.38	0.95	0.72	0.62	—	—	—	—	—	—	—
200	饲用黄油奶,烘干	93.0	86.0	0.90	0.94	0.62	1.98	2.07	1.37	34.2	5.6	0.4	1	10.8	1.07	0.73	1.35	0.10	—	—	—	—	—	—	—
201	脱脂牛奶	10.0	92.0	0.97	1.05	0.73	2.14	2.31	1.61	31.2	1.0	0.0	0	6.9	1.31	1.04	1.90	0.12	—	—	—	—	—	—	—
202	脱脂牛奶,烘干	94.0	85.0	0.89	0.95	0.65	1.96	2.09	1.43	35.8	0.9	0.2	0	8.4	1.36	1.09	1.70	0.13	—	—	—	—	—	—	—
203	全脂牛奶	12.0	129.0	1.38	1.52	0.98	3.04	3.35	2.16	26.7	29.5	0.0	0	6.3	0.95	0.76	1.12	0.10	—	—	—	—	—	—	—
204	全脂牛奶,脱水	96.0	119.0	1.27	1.39	1.01	2.80	3.06	2.22	26.5	27.8	0.2	0	5.7	0.95	0.76	1.08	0.10	—	—	—	—	—	—	—
205	初乳	24.8	130.0	1.39	1.64	0.91	3.06	3.61	2.00	45.9	24.2	0.0	0	4.5	—	—	—	—	—	—	—	—	—	—	—
206	粟壳	88.4	13.6	0.10	0.00	0.00	0.22	0.00	0.00	4.4	1.4	51.8	7	10.8	—	—	—	—	—	—	—	—	—	—	—
207	粟米粒	89.9	66.8	0.69	0.69	0.38	1.52	1.52	0.84	13.5	4.5	7.2	9	3.3	0.06	0.31	0.48	0.18	—	—	—	—	—	—	—
208	青贮薄荷片	27.0	55.0	0.55	0.21	0.55	1.21	0.46	1.21	14.0	1.8	24.0	—	14.0	1.10	0.57	—	—	—	—	—	—	—	—	—
209	甜菜糖蜜	78.0	75.0	0.78	0.81	0.53	1.72	1.78	1.17	8.5	0.2	0.0	0	11.3	0.17	0.03	6.07	0.29	—	—	—	—	—	—	—

序号	中文名称	干物质 (%)	总可消化 养分 (%)	泌乳净能 (Mcal/bl)		维持净能 (Mcal/bl)		增重净能 (Mcal/kg)		泌乳净能 (Mcal/kg)		维持净能 (Mcal/kg)		增重净能 (Mcal/kg)		粗蛋白 (%)	粗脂肪 (%)	粗纤维 (%)	酸性洗涤 纤维 A(%)	粗灰分 (%)	钙 (%)	磷 (%)	钾 (%)	镁 (%)
				泌乳净能 (Mcal/bl)	维持净能 (Mcal/bl)	增重净能 (Mcal/kg)	泌乳净能 (Mcal/kg)	维持净能 (Mcal/kg)	增重净能 (Mcal/kg)															
210	甘蔗糖蜜	75.0	72.0	0.75	0.77	0.49	1.65	1.70	1.08	5.8	0.1	0.0	0	13.1	1.00	0.11	3.84	0.43	—	—	—	—	—	
211	甘蔗糖蜜,3%H3PO4	75.0	70.0	0.72	0.70	0.44	1.59	1.54	0.97	4.2	0.0	0.0	0	12.2	1.15	0.95	3.84	0.43	—	—	—	—	—	
212	柑橘糖蜜	68.0	75.0	0.78	0.81	0.53	1.72	1.78	1.17	8.2	0.3	0.0	0	7.9	1.72	0.13	0.14	0.21	—	—	—	—	—	
213	木糖蜜	76.0	60.0	0.61	0.60	0.34	1.34	1.32	0.75	0.7	0.4	1.0	2	4.1	0.83	0.12	—	—	—	—	—	—	—	
214	燕麦秸	90.0	54.0	0.54	0.54	0.20	1.19	1.19	0.44	10.0	2.3	31.0	39	8.0	0.40	0.27	1.60	—	—	—	—	—	—	
215	燕麦壳	92.0	35.0	0.34	0.19	0.00	0.75	0.42	0.00	3.9	1.8	33.4	42	6.6	0.15	0.15	0.62	0.09	—	—	—	—	—	
216	燕麦麸	91.0	95.0	1.00	1.09	0.76	2.20	2.40	1.67	16.4	7.0	3.9	6	2.5	0.08	0.49	0.55	0.16	—	—	—	—	—	
217	燕麦加工副产品	92.0	31.0	0.29	0.23	0.00	0.64	0.51	0.00	6.1	2.1	29.4	37	6.4	0.16	0.22	0.60	0.87	—	—	—	—	—	
218	燕麦加工饲料	92.9	33.7	0.32	0.26	0.00	0.70	0.57	0.00	3.1	1.1	35.1	44	6.4	0.11	0.05	—	—	—	—	—	—	—	
219	燕麦细麸	91.0	60.0	0.61	0.59	0.30	1.34	1.30	0.66	14.1	6.1	14.8	19	5.3	—	—	—	—	—	—	—	—	—	
220	燕麦秸	92.0	50.0	0.50	0.44	0.19	1.10	0.97	0.42	4.4	2.2	40.5	47	7.8	0.24	0.06	2.57	0.18	—	—	—	—	—	
221	燕麦,发芽五天	13.2	70.0	0.72	0.73	0.42	1.59	1.61	0.93	18.1	5.2	19.7	25	4.1	—	—	—	—	—	—	—	—	—	
222	带核橄榄渣,脱水	92.0	40.0	0.39	0.34	0.00	0.86	0.75	0.00	6.4	16.9	39.7	50	2.7	—	—	—	—	—	—	—	—	—	
223	去核橄榄渣,脱水	95.0	78.0	0.81	0.83	0.54	1.78	1.83	1.19	14.7	28.8	20.3	25	3.6	—	—	—	—	—	—	—	—	—	
224	去核橄榄渣,浸提压榨	91.0	36.0	0.35	0.29	0.00	0.77	0.64	0.00	14.2	3.9	26.9	34	8.5	—	—	—	—	—	—	—	—	—	
225	橄榄下脚料,脱水	91.3	38.9	0.38	0.32	0.00	0.84	0.70	0.00	14.2	3.9	26.9	34	9.3	—	—	—	—	—	—	—	—	—	
226	淘汰橄榄	42.0	89.0	0.93	0.99	0.67	2.05	2.18	1.48	4.5	35.5	27.2	34	5.1	0.01	0.10	—	—	—	—	—	—	—	
227	洋葱下脚料,脱水	89.4	61.2*	0.63*	0.62*	0.30*	1.39*	1.37*	0.66*	9.7	4.9	22.1	28	6.4	—	—	—	—	—	—	—	—	—	
228	洋葱,脱水	91.4	57.6*	0.59*	0.57*	0.25*	1.30*	1.26*	0.55*	12.6	2.0	22.6	28	8.0	1.80	0.21	1.76	0.16	—	—	—	—	—	
229	橘子副产品,脱水	90.6	70.2*	0.73*	0.73*	0.42*	1.61*	1.61*	0.93*	8.3	3.0	14.7	18	3.4	0.71	0.11	—	—	—	—	—	—	—	

序号	中文名称	干物质	总可消化养分	泌乳净能	维持净能	增重净能	泌乳净能	维持净能	增重净能	粗蛋白	粗脂肪	粗纤维	酸性洗涤纤维	粗灰分	钙	磷	钾	镁
				(%)	(%)	(Mcal/bl)	(Mcal/bl)	(Mcal/bl)	(Mcal/kg)	(Mcal/kg)	(Mcal/kg)	(%)	(%)	A(%)	(%)	(%)	(%)	
230	氨化橘子渣, 脱水	89.0	73.0	0.76	0.77	0.46	1.67	1.70	1.01	16.5	3.7	13.9	17	3.8	0.71	0.11	—	—
231	橘子渣, 脱水	88.0	78.0	0.81	0.86	0.57	1.78	1.89	1.26	8.5	1.7	9.6	16	3.8	0.71	0.11	0.62	0.16
232	青贮橘子渣	11.3	64.9*	0.67*	0.66*	0.35*	1.48*	1.45*	0.77*	8.8	2.2	17.7	22	5.3	—	—	—	—
233	湿橘子渣	25.0	77.0	0.80	0.83	0.51	1.76	1.83	1.12	8.9	1.8	13.0	16	3.8	0.21	0.28	1.05	—
234	橘子	13.0	78.0	0.81	0.86	0.57	1.78	1.89	1.26	7.5	1.9	11.3	14	4.4	0.57	0.13	—	—
235	棕榈仁粉	89.6	83.7	0.88	0.91	0.60	1.94	2.00	1.32	18.8	10.6	26.8	34	4.8	—	—	—	—
236	防风草	13.7	89.2	0.94	0.98	0.67	2.07	2.16	1.48	11.7	1.4	7.3	9	5.1	—	—	—	—
237	豌豆干草	88.0	58.0	0.59	0.56	0.27	1.30	1.23	0.59	13.6	2.5	30.2	38	7.6	1.39	0.28	1.42	0.38
238	豌豆粉, 脱水	90.0	84.0	0.88	0.91	0.61	1.94	2.00	1.34	19.7	1.6	26.3	33	3.4	—	—	—	—
239	豌豆莢, 脱水	88.0	67.0	0.69	0.68	0.40	1.52	1.50	0.88	10.8	1.1	35.6	45	5.3	1.47	0.23	—	—
240	青贮豌豆秧	25.0	57.0	0.58	0.55	0.29	1.28	1.21	0.64	13.1	3.3	29.8	49	9.0	1.31	0.24	1.40	0.39
241	豌豆秸	85.0	56.0	0.57	0.54	0.24	1.26	1.19	0.53	8.9	1.8	39.5	49	6.8	1.00	0.11	1.20	—
242	桃子	10.0	80.0	0.83	0.86	0.55	1.83	1.89	1.21	8.9	3.7	10.3	13	—	—	—	—	—
243	桃子, 脱水	90.0	77.8	0.81	0.83	0.52	1.78	1.83	1.15	—	—	0.0	0	—	—	—	—	—
244	花生干草,晒干	91.0	55.0	0.56	0.52	0.26	1.23	1.15	0.57	10.8	3.4	33.2	41	8.6	1.23	0.15	1.38	0.49
245	花生壳	91.0	22.0	0.18	0.36	0	0.40	0.79	0.00	8.0	1.5	63.0	65	5.0	0.20	0.07	0.90	—
246	花生仁饼,机榨	93.0	83.0	0.87	0.92	0.62	1.92	2.03	1.37	52.0	6.3	7.5	10	5.5	0.20	0.61	1.25	0.31
247	花生仁粕,浸提压榨	92.0	77.0	0.80	0.85	0.55	1.76	1.87	1.21	52.3	1.4	10.8	18	6.3	0.29	0.68	1.23	0.17
248	花生皮	94.0	65.0	0.67	0.65	0.37	1.48	1.43	0.81	17.4	25.5	12.6	16	3.0	0.19	0.20	—	—
249	梨渣, 脱水, 磨碎	91.5	70.6	0.73	0.74	0.43	1.61	1.63	0.95	6.1	2.1	23.8	30	4.0	2.38	0.12	—	—
250	梨	17.3	86.7	0.91	0.95	0.64	2.00	2.09	1.41	—	—	0.0	0	—	—	—	—	—
251	梨罐头厂下脚料	15.2	69.3	0.72	0.72	0.41	1.59	1.59	0.90	3.9	1.3	17.1	21	2.0	—	—	—	—

序号	中文名称	干物质 (%)	总可消化 养分 (%)	泌乳净能 (Mcal/bl)		维持净能 (Mcal/bl)		增重净能 (Mcal/kg)		泌乳净能 (Mcal/kg)		维持净能 (Mcal/kg)		增重净能 (Mcal/kg)		粗蛋白 (%)	粗脂肪 (%)	粗纤维 (%)	酸性洗涤 纤维 A(%)	粗灰分 (%)	钙 (%)	磷 (%)	钾 (%)	镁 (%)
				泌乳净能 (Mcal/bl)	维持净能 (Mcal/bl)	增重净能 (Mcal/bl)	泌乳净能 (Mcal/kg)	维持净能 (Mcal/kg)	增重净能 (Mcal/kg)	粗蛋白 (%)	粗脂肪 (%)	粗纤维 (%)	酸性洗涤 纤维 A(%)	粗灰分 (%)	钙 (%)	磷 (%)	钾 (%)	镁 (%)						
252	加拿大梨	85.0	71.0*	0.73*	0.75*	0.43*	1.61*	1.65*	0.95*	27.9	0.9	9.3	12	2.8	—	—	—	—						
253	豇豆	85.2	74.1*	0.77*	0.79*	0.47*	1.70*	1.74*	1.04*	24.4	1.6	4.8	6	3.8	0.10	0.50	—	—						
254	淘汰豌豆, 脱水	90.0	83.0	0.87	0.89	0.59	1.92	1.96	1.30	26.5	1.2	6.0	9	3.1	0.13	0.47	—	—						
255	紫花豌豆	90.7	82.2	0.86	0.89	0.58	1.89	1.96	1.28	25.8	1.3	6.7	8	3.3	0.19	0.55	1.14	—						
256	菠萝渣	87.0	68.0	0.70	0.71	0.44	1.54	1.56	0.97	4.6	1.5	20.9	37	3.5	0.27	0.13	—	—						
257	青刈菠萝	18.0	56.0	0.57	0.55	0.24	1.26	1.21	0.53	7.6	2.2	27.0	35	6.4	0.28	0.08	—	—						
258	菠萝汁饼	21.0	71.0	0.74	0.75	0.45	1.63	1.65	0.99	5.3	0.7	26.0	34	2.6	0.28	0.08	—	—						
259	菠萝根株粉	46.0	64.0	0.66	0.65	0.36	1.45	1.43	0.79	3.0	0.8	22.0	30	1.9	0.28	0.08	—	—						
260	菠萝顶叶	16.0	42.8	0.42	0.38	0.04	0.93	0.84	0.09	10.0	3.1	23.1	29	9.4	—	—	—	—						
261	菠萝	14.7	80.1	0.84	0.86	0.55	1.85	1.89	1.21	2.7	1.4	2.7	3	2.7	0.14	0.07	—	—						
262	石榴渣	26.0	68.4	0.71	0.71	0.40	1.56	1.56	0.88	8.4	4.9	16.6	21	4.0	—	—	—	—						
263	土豆粉, 脱水	89.0	90.0	0.95	1.02	0.70	2.09	2.25	1.54	8.4	0.4	7.3	9	3.4	0.16	0.25	2.15	—						
264	鲜土豆	23.0	81.0	0.85	0.90	0.60	1.87	1.98	1.32	9.5	0.4	2.4	3	4.8	0.04	0.24	2.17	0.14						
265	土豆, 脱水	91.0	81.0	0.85	0.90	0.60	1.87	1.98	1.32	8.9	0.5	2.3	3	8.7	0.08	0.22	2.15	0.12						
266	青贮土豆	25.0	82.0	0.86	0.91	0.61	1.89	2.00	1.34	7.6	0.4	4.0	5	5.5	0.04	0.23	2.13	0.14						
267	梅干混合物	81.8	54.7	0.55	0.53	0.21	1.21	1.17	0.46	6.3	2.4	19.8	25	6.2	—	—	—	—						
268	梅干, 脱水	90.0	77.8	0.81	0.83	0.52	1.78	1.83	1.15	—	—	0.0	0	—	—	—	—	—						
269	带核梅干	82.0	81.0	0.85	0.88	0.56	1.87	1.94	1.23	5.3	2.9	13.1	16	—	0.13	0.11	—	—						
270	不带核梅干	80.0	93.0	0.98	1.04	0.72	2.16	2.29	1.59	4.1	1.4	2.2	3	—	0.04	0.12	—	—						
271	南瓜	9.0	85.0	0.89	0.93	0.62	1.96	2.05	1.37	16.2	8.9	14.2	18	8.9	0.24	0.43	3.32	—						
272	葡萄干渣, 脱水	89.0	53.0	0.53	0.50	0.19	1.17	1.10	0.42	10.7	8.7	18.0	23	6.0	—	—	—	—						
273	淘汰葡萄干	85.0	48.0	0.48	0.44	0.10	1.06	0.97	0.22	4.0	1.1	5.2	7	3.5	—	—	—	—						

序号	中文名称	干物质 (%)	总可消化 养分 (%)	泌乳净能 (Mcal/bl)		维持净能 (Mcal/bl)		增重净能 (Mcal/kg)		泌乳净能 (Mcal/kg)		维持净能 (Mcal/kg)		增重净能 (Mcal/kg)		粗蛋白 (%)	粗脂肪 (%)	粗纤维 (%)	酸性洗涤 纤维 A(%)	粗灰分 (%)	钙 (%)	磷 (%)	钾 (%)	镁 (%)	
				泌乳净能 (Mcal/bl)	维持净能 (Mcal/bl)	增重净能 (Mcal/kg)	泌乳净能 (Mcal/kg)	维持净能 (Mcal/kg)	增重净能 (Mcal/kg)	泌乳净能 (Mcal/kg)	维持净能 (Mcal/kg)	增重净能 (Mcal/kg)	泌乳净能 (Mcal/kg)	维持净能 (Mcal/kg)	增重净能 (Mcal/kg)										
274	加拿大油菜籽饼	94.0	74.0	0.77	0.80	0.51	1.70	1.76	1.12	37.4	7.4	16.5	18	7.2	0.76	1.15	0.90	0.59							
275	加拿大油菜籽 粕,Canda,浸提压榨	92.0	75.0	0.78	0.81	0.53	1.72	1.78	1.17	44.0	1.2	10.1	18	7.8	0.73	1.13	0.90	0.58							
276	米糠粕, 浸提压榨	90.0	62.0	0.64	0.63	0.34	1.41	1.39	0.75	15.9	3.4	13.0	17	15.1	0.07	1.62	1.91	1.04							
277	全脂米糠,13%油脂	91.0	70.0	0.73	0.74	0.47	1.61	1.63	1.04	14.1	15.1	12.8	18	12.8	0.08	1.70	1.92	1.04							
278	糙米副产品(米糠和 砻糠)	91.0	33.0	0.31	0.25	0.00	0.68	0.55	0.00	6.7	5.6	33.0	53	19.1	0.08	0.59	—	—							
279	砻糠	92.0	12.0	0.08	0.00	0.00	0.18	0.00	0.00	3.3	0.8	42.9	72	20.6	0.10	0.08	0.57	0.83							
280	稻米米粗粉	88.1	66.9*	0.69*	0.69*	0.38*	1.52*	1.52*	0.84*	15.6	6.8	9.6	12	9.6	—	—	—	—							
281	细米糠	90.0	91.0	0.96	0.99	0.65	2.11	2.18	1.43	14.2	14.9	3.0	4	9.9	0.05	1.31	1.30	0.72							
282	稻秸	91.0	41.0	0.40	0.35	0.02	0.88	0.77	0.04	4.5	1.4	35.1	44	16.6	0.21	0.08	1.32	0.11							
283	芜菁甘蓝叶	10.9	68.4	0.71	0.71	0.40	1.56	1.56	0.88	18.6	4.6	14.1	18	19.9	—	—	—	—							
284	芜菁甘蓝叶,脱水	87.3	55.1	0.56	0.54	0.21	1.23	1.19	0.46	11.2	2.2	9.8	12	39.4	—	—	—	—							
285	芜菁甘蓝	11.4	85.6	0.90	0.94	0.62	1.98	2.07	1.37	10.5	1.8	11.4	14	10.5	0.49	0.29	1.84	0.18							
286	黑麦麸	91.0	61.0	0.62	0.60	0.32	1.37	1.32	0.70	17.5	3.4	7.6	10	5.2	—	—	—	—							
287	黑麦酒精糟	92.0	61.0	0.63	0.61	0.35	1.39	1.34	0.77	23.5	7.8	13.4	18	2.5	0.16	0.52	0.08	0.18							
288	黑麦酒精糟及可溶 物	90.5	62.1	0.64	0.63	0.31	1.41	1.39	0.68	30.1	4.5	9.0	11	7.1	—	—	—	—							
289	黑麦酒精糟可溶物	94.4	69.6*	0.72*	0.73*	0.41*	1.59*	1.61*	0.90*	37.2	1.3	3.6	5	7.6	0.37	1.26	—	—							
290	黑麦麸	90.0	80.0	0.83	0.85	0.57	1.83	1.87	1.26	18.4	3.8	5.8	7	4.0	0.07	0.70	0.70	—							
291	黑麦粗粉	90.0	75.0	0.78	0.79	0.51	1.72	1.74	1.12	18.5	3.7	5.1	6	4.2	0.08	0.71	0.66	0.26							
292	红花籽壳	91.3	13.3	0.09	0.00	0.00	0.20	0.00	0.00	3.6	3.7	58.2	73	1.8	—	—	—	—							

序号	中文名称	干物质 (%)	总可消化 养分 (%)	泌乳净能 (Mcal/bl)		维持净能 (Mcal/bl)		增重净能 (Mcal/kg)		泌乳净能 (Mcal/kg)		维持净能 (Mcal/kg)		增重净能 (Mcal/kg)		粗蛋白 (%)	粗脂肪 (%)	粗纤维 (%)	酸性洗涤 纤维 A(%)	粗灰分 (%)	钙 (%)	磷 (%)	钾 (%)	镁 (%)
				泌乳净能 (Mcal/bl)	维持净能 (Mcal/bl)	增重净能 (Mcal/kg)	泌乳净能 (Mcal/kg)	维持净能 (Mcal/kg)	增重净能 (Mcal/kg)															
293	红花籽饼,机榨,20%CP	91.0	60.0	0.61	0.60	0.34	1.34	1.32	0.75	22.1	6.7	35.4	41	4.1	0.27	0.78	0.79	0.36	—	—	—	—	—	
294	红花籽饼,浸提压榨,20%CP	92.0	57.0	0.58	0.55	0.29	1.28	1.21	0.64	25.4	1.5	32.5	41	5.9	0.37	0.81	0.82	0.37	—	—	—	—	—	
295	红花籽粕,浸提压榨,42%CP	92.0	73.0	0.76	0.79	0.50	1.67	1.74	1.10	46.9	1.4	14.7	21	8.2	0.38	1.40	1.19	1.11	—	—	—	—	—	
296	红花籽	94.0	89.0	0.94	1.00	0.69	2.07	2.20	1.52	17.4	35.1	28.6	40	3.1	0.26	0.67	0.79	0.36	—	—	—	—	—	
297	蒿属枝叶	50.5	49.9	0.50	0.47	0.14	1.10	1.04	0.31	12.9	9.2	24.8	31	9.7	1.01	0.25	—	0.49	—	—	—	—	—	
298	盐草,晒干	89.2	53.5	0.54	0.52	0.19	1.19	1.15	0.42	8.9	2.1	31.6	40	12.7	2.37	0.10	—	—	—	—	—	—	—	
299	谷物筛屑,优级	90.0	70.0	0.72	0.70	0.44	1.59	1.54	0.97	14.2	5.2	13.1	16	9.8	0.48	0.43	—	—	—	—	—	—	—	
300	废弃物筛屑	90.0	56.0	0.57	0.55	0.29	1.26	1.21	0.64	11.5	4.3	31.0	40	10.6	0.46	0.32	—	—	—	—	—	—	—	
301	芝麻饼,机榨	93.0	77.0	0.80	0.85	0.55	1.76	1.87	1.21	49.1	7.5	6.1	17	12.0	2.17	1.46	1.35	0.50	—	—	—	—	—	
302	芝麻油饼	94.7	88.8*	0.93*	0.98*	0.67*	2.06*	2.16*	1.48*	38.0	26.0	4.0	5	7.8	—	—	—	—	—	—	—	—	—	
303	芝麻籽	92.0	104.0	1.10	1.23	0.74	0.22	2.71	1.63	24.2	46.6	11.2	14	6.1	1.02	0.76	—	—	—	—	—	—	—	
304	小虾废料粉	90.0	48.0	0.47	0.48	0.09	1.04	1.06	0.20	50.0	5.5	11.0	—	25.0	8.50	1.75	—	—	—	—	—	—	—	
305	茵草,成熟,干草,晒干	94.6	53.2	0.54	0.51	0.19	1.19	1.12	0.42	5.0	1.3	37.9	47	11.6	0.42	0.14	—	—	—	—	—	—	—	
306	高粱酒糟及可溶物	95.0	84.0	0.88	0.91	0.61	1.94	2.00	1.34	34.9	9.9	10.7	13	4.4	0.18	0.97	—	—	—	—	—	—	—	
307	高粱酒糟	94.0	83.0	0.87	0.92	0.62	1.92	2.03	1.37	34.4	9.5	12.7	16	3.8	0.16	0.74	0.38	0.19	—	—	—	—	—	
308	高粱酒糟可溶物	93.0	83.0	0.87	0.90	0.60	1.92	1.98	1.32	28.5	5.9	4.2	5	9.1	0.40	0.66	—	—	—	—	—	—	—	
309	高粱淀粉渣,脱水	91.0	76.0	0.79	0.80	0.52	1.74	1.76	1.15	28.6	3.6	7.8	10	9.4	0.10	0.66	1.61	0.49	—	—	—	—	—	
310	青贮高粱,30%干物质	30.0	60.0	0.61	0.60	0.34	1.34	1.32	0.75	7.5	3.0	27.9	38	8.7	0.35	0.21	1.37	0.29	—	—	—	—	—	

序号	中文名称	干物质	总可消化 养分	泌乳净能	维持净能	增重净能	泌乳净能	维持净能	增重净能	粗蛋白	粗脂肪	粗纤维	酸性洗涤 纤维	粗灰分	钙	磷	钾	镁
				(%)	(%)	(Mcal/bl)	(Mcal/bl)	(Mcal/kg)	(Mcal/kg)	(%)	(%)	(%)	A(%)	(%)	(%)	(%)	(%)	
311	高粱桔,脱水	88.0	54.0	0.55	0.50	0.25	1.21	1.10	0.55	5.2	1.7	33.5	41	11.0	0.52	0.13	1.20	0.28
312	酵浆草籽	86.8	67.7*	0.70*	0.70*	0.39*	1.54*	1.54*	0.86*	9.1	4.4	19.4	24	2.4	—	—	—	—
313	大豆干草,晒干	94.0	53.0	0.54	0.49	0.24	1.19	1.08	0.53	17.8	5.4	29.8	40	7.7	1.26	0.27	0.97	0.79
314	大豆皮	91.0	77.0	0.80	0.85	0.55	1.76	1.87	1.21	12.1	2.1	40.1	50	5.1	0.49	0.21	1.27	0.28
315	大豆粕,浸提压榨,44%CP	89.0	84.0	0.88	0.94	0.64	1.94	2.07	1.41	49.9	1.5	7.0	10	7.3	0.30	0.68	1.98	0.30
316	大豆粕,浸提压榨,48%CP	90.0	87.0	0.91	0.98	0.67	2.00	2.16	1.48	55.1	1.0	3.7	6	6.5	0.29	0.70	2.30	0.32
317	大豆加工下脚料	89.4	48.4	0.48	0.45	0.12	1.06	0.99	0.26	14.9	1.8	36.9	46	5.0	0.42	0.21	—	—
318	豆油厂脱皮下脚料	88.0	44.0	0.43	0.39	0.03	0.95	0.86	0.07	13.6	1.4	40.7	51	5.1	0.42	0.21	—	—
319	青贮大豆	27.0	55.0	0.56	0.52	0.26	1.23	1.15	0.57	17.3	2.7	28.4	40	9.7	1.36	0.47	0.93	0.38
320	大豆桔	88.0	44.0	0.44	0.44	0.00	0.97	0.97	0.00	5.2	1.4	44.0	55	5.8	1.59	0.06	0.53	0.92
321	全脂大豆	92.0	91.0	0.96	1.03	0.71	2.19	2.27	1.56	42.8	18.8	5.8	10	5.5	0.27	0.65	1.82	0.29
322	斯佩耳特小麦	88.0	75.0	0.77	0.79	0.50				13.0	2.1	10.0	17	4.0	0.04	0.40	0.40	—
323	甘蔗渣	91.0	44.0	0.44	0.34	0.10	0.97	0.75	0.22	1.5	0.4	49.0	61	5.5	0.90	0.29	0.50	0.10
324	脱皮甘蔗	45.0	44.0	0.44	0.39	0.03	0.97	0.86	0.07	3.6	0.9	45.0	56	10.3	0.35	0.27	—	—
325	向日葵籽饼,机榨	93.0	74.0	0.77	0.80	0.51	1.70	1.76	1.12	44.6	8.7	13.1	17	7.1	0.42	1.14	1.14	0.78
326	向日葵籽粕,浸提压榨	93.0	65.0	0.67	0.67	0.40	1.48	1.48	0.88	49.8	3.1	12.2	16	8.1	0.44	0.98	1.14	0.77
327	向日葵籽	94.0	83.0	0.87	0.90	0.60	1.92	1.98	1.32	17.9	27.7	31.0	39	3.3	0.18	0.56	0.71	—
328	脱壳向日葵籽	95.0	121.0	1.29	1.55	0.71	2.84	3.41	1.56	27.1	46.5	5.3	7	4.0	0.17	0.94	0.96	—
329	甘薯粉	90.0	80.0	0.83	0.85	0.57	1.83	1.87	1.26	5.4	1.0	3.7	5	4.5	0.17	0.16	—	—
330	甘薯秧	20.0	49.4*	0.50*	0.46*	0.13*	1.10*	1.01*	0.29*	19.5	2.5	14.5	18	22.0	—	—	—	—
331	甘薯秧,脱水	91.0	57.0	0.58	0.55	0.25	1.28	1.21	0.55	13.9	3.6	21.0	26	11.3	—	—	—	—

序号	中文名称	干物质 (%)	总可消化 养分 (%)	泌乳净能 (Mcal/bl)		维持净能 (Mcal/bl)		增重净能 (Mcal/kg)		泌乳净能 (Mcal/kg)		维持净能 (Mcal/kg)		增重净能 (Mcal/kg)		粗蛋白 (%)	粗脂肪 (%)	粗纤维 (%)	酸性洗涤 纤维 A(%)	粗灰分 (%)	钙 (%)	磷 (%)	钾 (%)	镁 (%)
				泌乳净能 (Mcal/bl)	维持净能 (Mcal/bl)	增重净能 (Mcal/kg)	泌乳净能 (Mcal/kg)	维持净能 (Mcal/kg)	增重净能 (Mcal/kg)	粗蛋白 (%)	粗脂肪 (%)	粗纤维 (%)	酸性洗涤 纤维 A(%)	粗灰分 (%)	钙 (%)	磷 (%)	钾 (%)	镁 (%)						
332	甘薯	31.0	80.0	0.83	0.85	0.57	1.83	1.87	1.26	5.0	1.3	6.0	8	3.6	0.09	0.13	1.19	0.16						
333	橘渣,脱水	87.0	80.0	0.83	0.87	0.55	1.83	1.92	1.21	8.1	5.7	11.0	14	5.0	1.57	0.14	—	—						
334	木薯粉(木薯淀粉厂副产品)	86.8	81.1	0.85	0.88	0.57	1.87	1.94	1.26	1.0	0.8	5.3	7	2.1	—	0.03	—	—						
335	番茄茎,叶	14.0	46.7*	0.47*	0.43*	0.09*	1.04*	0.95*	0.20*	26.4	1.7	15.4	19	26.6	—	—	—	—						
336	番茄渣,脱水	92.0	58.0	0.59	0.57	0.31	1.30	1.26	0.68	23.5	10.3	26.4	50	7.5	0.43	0.60	3.63	0.20						
337	青贮番茄渣	29.5	63.9*	0.66*	0.65*	0.34*	1.45*	1.43*	0.75*	19.2	14.6	44.9	56	4.5	0.50	0.47	—	—						
338	番茄皮汁,脱水	89.6	63.0	0.65	0.64	0.32	1.43	1.41	0.70	20.7	2.5	19.1	24	9.8	0.61	0.46	—	—						
339	番茄	6.0	69.0	0.71	0.70	0.43	1.56	1.54	0.95	16.4	5.0	9.1	11	—	0.16	0.49	4.21	—						
340	芫菁叶	13.0	67.0	0.69	0.68	0.40	1.52	1.50	0.88	21.8	2.6	10.3	13	16.8	2.92	0.51	3.00	0.92						
341	鲜芫菁	9.0	85.0	0.89	0.95	0.65	1.96	2.09	1.43	11.8	1.9	11.5	34	8.9	0.59	0.26	2.99	0.22						
342	巢菜籽	90.7	68.1	0.70	0.71	0.39	1.54	1.56	0.86	32.6	0.9	6.3	8	3.4	—	—	—	—						
343	黑胡桃粉	93.0	70.8	0.73	0.74	0.43	1.61	1.63	0.95	31.7	11.4	18.2	23	5.7	—	—	—	—						
344	胡桃粉,英格兰	93.3	66.7	0.69	0.69	0.37	1.52	1.52	0.81	17.1	6.4	26.8	34	4.9	—	—	—	—						
345	胡桃仁,磨碎	91.0	94.0	0.99	1.06	0.69	2.18	2.33	1.52	45.8	9.6	3.8	5	5.8	—	—	—	—						
346	稗子籽	90.0	69.1*	0.71*	0.72*	0.41*	1.56*	1.59*	0.90*	7.3	3.9	14.2	18	5.0	—	—	—	—						
347	小麦麸	89.0	70.0	0.73	0.74	0.47	1.61	1.63	1.04	17.1	4.4	11.3	15	6.9	0.13	1.38	1.56	0.60						
348	小麦麸糠秕,晒干	92.6	39.8	0.39	0.34	0.00	0.86	0.75	0.00	5.5	1.7	32.2	40	18.0	0.20	0.15	—	—						
349	小麦胚芽粉	90.0	95.0	1.00	1.11	0.70	2.20	2.44	1.54	28.1	10.2	4.0	5	5.8	0.06	1.16	0.98	0.28						
350	麦桔	90.0	57.0	0.57	0.57	0.25	1.26	1.26	0.55	9.0	2.0	29.0	38	8.0	0.21	0.22	1.40	—						
351	小麦麸粉	89.0	69.0	0.71	0.73	0.45	1.56	1.61	0.99	18.4	4.9	8.2	10	5.2	0.13	0.99	1.13	0.40						
352	小麦粗粉	90.0	79.0	0.83	0.87	0.58	1.83	1.92	1.28	17.2	4.6	9.2	11	5.9	0.11	1.13	1.33	0.52						
353	小麦细麸粉,7%粗纤维	88.0	73.0	0.76	0.79	0.50	1.67	1.74	1.10	18.6	5.2	7.7	10	4.9	0.10	0.91	1.06	0.28						

序号	中文名称	干物质 (%)	总可消化 养分 (%)	泌乳净能 (Mcal/bl)		维持净能 (Mcal/bl)		增重净能 (Mcal/bl)		泌乳净能 (Mcal/kg)		维持净能 (Mcal/kg)		增重净能 (Mcal/kg)		粗蛋白 (%)	粗脂肪 (%)	粗纤维 (%)	酸性洗涤 纤维 A(%)	粗灰分 (%)	钙 (%)	磷 (%)	钾 (%)	镁 (%)
				泌乳净能 (Mcal/bl)	维持净能 (Mcal/bl)	增重净能 (Mcal/bl)	泌乳净能 (Mcal/kg)	维持净能 (Mcal/kg)	增重净能 (Mcal/kg)	粗蛋白 (%)	粗脂肪 (%)	粗纤维 (%)	酸性洗涤 纤维 A(%)	粗灰分 (%)	钙 (%)	磷 (%)	钾 (%)	镁 (%)						
354	小麦秸	89.0	44.0	0.44	0.34	0.10	0.97	0.75	0.22	3.6	1.8	41.6	54	7.8	0.18	0.50	1.42	0.12						
355	乳清产品,脱水	93.0	79.0	0.83	0.87	0.58	1.83	1.92	1.28	17.9	1.1	0.2	0	16.5	1.71	1.12	2.16	0.23						
356	乳清粉, 脱水	93.0	81.0	0.85	0.90	0.60	1.87	1.98	1.32	14.2	0.7	0.2	0	9.8	0.92	0.82	1.23	0.14						
357	浓缩乳清,42%固体	42.0	78.0	0.81	0.81	0.54	1.78	1.78	1.19	14.0	4.3	0.0	0	10.1	0.98	0.81	—	—						
358	乳清,液体	7.0	81.0	0.85	0.90	0.60	1.87	1.98	1.34	14.2	0.7	0.2	0	9.8	0.73	0.65	2.75	—						
359	啤酒酵母, 脱水	93.0	79.0	0.83	0.87	0.58	1.83	1.92	1.28	46.9	0.9	3.1	4	7.1	0.13	1.49	1.79	0.27						
360	脱核酵母, 脱水	93.0	78.0	0.81	0.85	0.56	1.78	1.87	1.23	52.7	1.7	2.4	4	8.3	0.54	1.71	2.04	0.18						